

ग्रसाधारण

EXTRAORDINARY

भाग I---संड 1

PART I—Section 1

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 117]

नई विस्ती, बुधवार, भगस्त 16, 1967/आवण 25, 1889

No. 117]

NEW DELHI, WEDNESDAY, AUGUST 16, 1967/SRAVANA 25, 1889

इस भाग में भिन्न पृष्ठ संख्या वी जाती है जिसमे कि यह ग्रलग संकलन के कप में रक्ता जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compliation.

MINISTRY OF COMMERCE

PUBLIC NOTICES

IMPORT TRADE CONTROL

New Delhi, the 14th August, 1967

SUBJECT:—Revalidation of import licences issued under the Erstwhile F. P. Schemes and the National Defence Remittance Scheme.

No. 80-II C(PN)/67.—Attention is invited to paragraph 205(10) of Chapter X of the Importance Control Hand Book of Rules and Procedure, 1967 published under the Ministry of Commerce Public Notice No. 57-ITC(PN)/67 dated the 3rd July, 1967, which provides that revalidation of licences not covered by the sub-paragraphs 205(1—8) of the Hand Book will not ordinarily be allowed, and that in cases of genuine difficulty the licensing authority may grant extension for a short period on merits.

- 2. The question of revalidation of import licences for items other than machinery an equipment issued under the Erstwhile Export Promotion Schemes and the National Defence Remittance Scheme has been considered and the following decisions have been taken for dealing with the requests for revalidation of such licences:—
 - (i) No extension in the validity period of the licences will be granted in cases where the initial period of validity expires beyond 30-9-1967.
 - (ii) In the case of licences whose initial period of validity expires on a date before the end of September, 1967 the requests for revalidation upto the 30th September 1967 may be entertained on merits, provided that even in such cases no extension in the period of validity will be granted if the licence has already been revalidated for a period of six months.

3. Applications for revalidation of licences in terms of this Public Notice will be entertained by the licensing authority who issued the licence or by any regional licensing authority. Such requests for revalidation will be considered by the licensing authorities on merits where such authority is satisfied that the request for revalidation is based on genuine difficulty and the refusal to grant extension in the validity period will cause hardship or loss to the licence-holder.

[Issued from file No. IPC (Gent. 40)/65]

Subject:—Import policy for Ball and Roller Bearings for the year April 1967—March 1968,-

No. 81-ITC (PN)/67:—Attention is invited to the Import policy for Ball and Roller Bearings as given against S. No. 19/II (pages 125—128) in Part 'A' Section III and Appendix 14 of the Red Book for the year April 1967—March 1968 incorporating the sizes of banned and restricted types of ball bearings, roller bearings and tapered roller bearings.

2. As a result of indigenous production, the position has been reviewed and it has been decided to make amendments in the Red Book for April 1957—March 1958 as indicated in the Annexure to this Public Notice.

		Annexure		
Page No. of Reference Details of amendments Red Book				
,	2	3		
33	Section II, S. No. 19 (2)(i)/II Column 2.	for the words Roller Beatings' read:—		
	,	"Roller Brurings including needle roller bearings and needle roller assemblies."		
33	Section II, S. No. 19	For the existing description read :-		
	(z) (ii ₁ /H, C) umn 2.	"Component parts of roller bearings including accessories such as : Roller including needle rollers, sleeves, nuts—and washess."		
126	Section III, Pare N	for 'Roller Benings' read :		
	S. No. 19(3) (i)/H, Column 2.	"Roller Bearings involving needle roller bearings and Needle assemblies."		
1 0	Section III, Part 'A. S. No. 19(2)(i)/fl.	1. For the existing description in column 2, read :-		
	Column 2 & 3.	"Component pairs of Roller bearings including accessories such as, rollers including needle rollers, sleeves, nuts and washers."		
		2. In column 3, the following new remark may be inserted afte A. U. :		
		"Applications for import of needle rollers other than those shown below will be considered."		
		Diameter Length		

(0, 114" to 0 · 126").

a. 2.90 mm to 3.20 mm 9.9 mm to 30,5 mm (0.39" to

I '2").

τ	2		· _		3		- 	
361	Section IV, Appendix 14 (1) (a) Special bearing—Metric Sizes.	The following sizes of special bearings may be inserted under this heading to the manner indicated below:—						
			2	3	4	5	6	
				т2005C (RIV No.)	נחיינצָג	52 mm one side 56mm othet side	(8mm	
				L20	20mm	47mm	r.4mm	
			A 20	E20	20mm	471nm	tzmm	
				393105		No BT 2003 inery)	for Textile	
		••	A .	SB20C (KOYO No)		No BT 2019 inery)	5 for Textil	
		••		50)5 (RIV No.)) [(BBL No. B. Part No. F 1.28.165)		
			N 3179	402703	(Wai for N	No. BA 200 er Pump Bea Massey Ferg and Standar	ring) ruson Trac	
				10016 (RIV No)	(BBL No.	No BA 2010 F-848076/1.2	Fiat Pa 8.123)	
361	Section IV, Appendix 14(1)(a) Light	I For th	he existing	g entry 'Inc izes''.	h sizes'	shown unde	r this head,	
	Series—double row self aligning adapter bearings.	r 2 The 1	Hoffman N may be ame	o. 'UT 130 l inded to read	E' shown l as "UT	<i>in line</i> 2 agai 130".	nst SKF No	
362	Section IV, Appendix 14(1) (a)—Self aligning ball bearings.	the S Alignir	KF No. 6; ng Ball Bea	302/16 show rins—Inch	n in line sizes :—	have been ins 2 under the etric sizes".	erted abov heading se	
		inse	wing metr rted agains cated :—	ic sizes of set the SKF	elf Align No. 630	ing Ball Bear 2/16 under	ing may t the c lumr	
			4.	5.	6.			
			16mm	42mm	13mm			
3 62	Section IV, Appendix 14(1) (a)— Thurst Bearings.	For the Thrus	existing he st Bearing	ading read —Metric	:— sizes'.			

The following metric sizes of Thrust bearings may be inserted against the SKF No. 51203-S/W under the columns indicated:—

4.	5.	6.
17mm	35mm	12mm

1	2					3			
362	Section IV, Appen-The following N.B. may be added at the end of appendix 14(1)(a):-dix 14(1)(a)								
		N-B		precision				. Import of e considered	
4	Section IV, Appendix 14(2)(a):—								
	Tapered Bore metric sizes.	T'he	existi the	ng entries following	shown und	ier this head	may be	replaced by	
			τ	2	3	4	5	6	
			. •		6206-K 6208-K 6209-K	Taper Taper Taper	62mm 80mm 85mm	16mm 18mm	
365	Section IV, Appendix 14 (2) (a) Double Row Self Aligning Ball Bearings—Medium Series	For	'13/8″³	under col	umn 4, ros	ad fr 3/4".			
	Section IV, Appendix 14 (2) (a) Light wide series—Inch sizes.	The be	entries read as	''Inch size —'Metric	9'' whereve sizes'.	r appearing	under th	is head may	
366	Section IV, Appen-	ı I	For the	entry '250	ım' in line	6 under colu	ımn 6 rea	d '16mm'	
	dix 14 (2) (a) Special Bearings.	2 7	The en		C (RIV N	lo.) may de	emed to	have beer	
		3 7	The ex	isting entr 22' may be	y '10563 (R substituted	IV No) Fia i by the follo	t Part N wing :—	o. F 872489	
		7	I	2	3	4	5	6	
				••	10593 (RIV No)	25.5mm	72mm	19 mm	
367	Section IV, Appen-	Section IV. Appen- For		tr y 51109	A under	Column 3 R	ead as unc	ler :	
	dix 14(2) (a), Heavy series—Inch sizes.					Metric siz	:e8		
					51109A	45mm	65 m m		
36 7	Section IV, Appendix 14(2)(2).		follow	ing N. B.	may be add	led at the er	d of App	endi x 14 (2)	
	·	4	'The preci	sion and l	to standar heavy duty	d bearings of	only. Im will be c	port of extra onsidered or	

1	2				3		
368	Section IV Appendix 14 (2) (b) Single Row Angular Contact Ball Bearings— Light Series—Metric Sizes	The I.S. read as "40	I. No. ''. BAU 2''.	40 BAO"	, shown in	column (I) may be
369 8	Section TIV Appendix 14 (2) (c) Medium Series—Single Row Angular Contact Ball Bearings—Metric Size	BAO 3".	tr y ' 35 BA	.O 2' in lin	e I, under	Column (1)	, Read "35
369 S	ection IV Appen- T. dix 14 (2) (c) Light Series Double Row Self Aligning Ball	he entry 3, may be	'306445 B substituted	shown by the fo	under th	is head in	column
	Bearings—Inch sizes.			(3)	(4)	(5)	(6)
				306445 B	50mm	81-6mm	25mm
37I		extra on me	ban rela precision a rits". followin	nl heavy gentry s	duty beari	ings only. ngs will be in line 3 u eted :—	considered
		(1)	(2)	(3)	(4)	(5)	(6)
		75TA 12	••		75mm	110mm	27mm
371	Section IV Appendix 14(3) (b) Light standard series—Double Row Self Aligning Adapter Bearings.	For the w Sizes'.	vords 'Inch	a Sizes' ap	pearing in	this head R	ead 'Metri
372	Section IV Appendix 14 (3) (c) Light wide series—Double Row Self Aligning Adapter Bearings.		words 'Inc Metric size		pearing aft	er this head,	
373	Section IV Appendix 14 (4) (a)	The follo	wing N. 1	B. may be	added at t	he end of	Appendix 1
		extra	ne ban rela precision merita."	ates to stand heav	andard be y duty bea	arings only rings will b	. Import o

τ	2	3

375 Section IV Appen- The following N. B. may be added at the end of Appendix 14 dix 14 (5) (a). (5) (a):—

N. B. "The ban relates to standard bearings only. Import of extr precision and heavy duty bearings will be considered on morits."

76 Section IV Appen- The N. B. (i), (ii) and (iii) appearing at page 376 may be deemed to have been regardered to page 377 at the end of Appendix 14 (6) (a).

Section IV Appendix 14(6)(a)—Banned types of Taper Roller Bearings.

The entries under Col. (3) from 330201 to PAE 12307 ney be substituted by the following:—

(1)	(2)	(3)	(4)	(5)	(6)
		SKF No. 330201	60mm	Homm	28mm
		SKF No. I-100545	18mm	47 nm	14. 38mm
		A/46 SKF No. CK-495 AX/K-49	3 " 93	5-375"	1.172"
••	• •	SKF No. CK-1159 AK11520		1.6875"	a. 5625*
		SKF No. AKLM- 501349/ KLM- 501310	1.625"	2.894"	o. 78 "
are	••	SKF No. CK- 15100S/ K-15250 X ¹ 3		2. 5"	0. \$125"
		ABC No PAB 12303	18mm	47mm	14.383 m m

I	2			3	<u></u> -
		••	ABC No. 33mm PAB 12305	6 2m m	16mm
	••	••	ABC No. 28mm PAB 12306	70 m tn	20. 5mm
	. .	••	ABC No. 32mm PAB 12307	72mm	27mm

"N. B.: The ban relates to standard bearings only. Import of extra precision & heavy duty bearings will be considered on merits."

ssued from file No. IPC (19/II)/67)

P. D. KASBEKAR,

Chief Controller of Imports & Exports.